

Part 573 Safety Recall Report

21V-431

Manufacturer Name : Starcraft RV

Submission Date : JUN 11, 2021

NHTSA Recall No. : 21V-431

Manufacturer Recall No. : NR



Manufacturer Information :

Manufacturer Name : Starcraft RV

Address : 903 South Main Street

P.O. Box 460 Middlebury IN 46540

Company phone : 800-945-4787

Population :

Number of potentially involved : 11,853

Estimated percentage with defect : 2 %

Vehicle Information :

Vehicle 1 : 2017-2021 STARCRAFT VARIOUS

Vehicle Type : TRAILERS

Body Style :

Power Train : NR

Descriptive Information : Units that were manufactured with propane regulators by Chen Fong with date codes N 17 XX, N 18 XX and N 19 XX.

Production Dates : APR 03, 2017 - JUN 30, 2020

VIN Range 1 : Begin : 1SABS0AK0J2ZE5058 End : 1SACS0BVXJ2HG5053 ☒ Not sequential

VIN Range 2 : Begin : 1SABS0AK0J2ZE5058 End : 1SACS0BVXJ2HG5053 ☒ Not sequential

VIN Range 3 : Begin : 1SABS0AK0J2ZE5058 End : 1SACS0BVXJ2HG5053 ☒ Not sequential

Description of Defect :

Description of the Defect : Certain Winntec model 6020 two stage propane regulators installed on the recreational vehicles may supply elevated, intermittent or low propane pressure to the appliances.

FMVSS 1 : NR

FMVSS 2 : NR

Description of the Safety Risk : An increase in propane pressure, could cause the flame of the appliance to become larger, and under certain rare circumstances, may ignite adjacent materials resulting in a fire. Appliances that can be effected by an excessive flame are the stovetop, oven, hot water heater, furnace and refrigerator.

Description of the Cause : Certain Winntec model 6020 two stage propane regulators, contain a second stage valve seat that can fail to regulate propane flow and pressure in two different ways. First, the second stage valve seat in the regulator has an inadequate mechanical lock, resulting in seal migration. Once out of position,

the valve seal will not properly regulate propane flow and pressure to the recreational vehicle appliances. Second, the rubber hoses (pigtails) that connect the onboard propane cylinders to the regulator release a plasticizer which is a liquid that collects in the body of the regulator. When in contact with the plasticizer, the physical properties of the second stage valve seal can change making it easier to degrade during use and easier to migrate out of position.

Identification of Any Warning that can Occur : Irregular performance from the recreational vehicle appliances may be an indicator that the propane regulator is experiencing the safety defect. The smell of propane may be present at the regulator, which would indicate the regulator is venting due to high pressure.

Involved Components :

Component Name 1 : Winntec 2 Stage Propane Regulator
Component Description : Propane Regulator with supply hoses
Component Part Number : Model 6020

Supplier Identification :

Component Manufacturer

Name : DEHCO INC
Address : 58236 Charlotte Ave
ELKHART Indiana 46517
Country : United States

Chronology :

SEE ATTACHMENT

Description of Remedy :

Description of Remedy Program : Units affected by this recall will have the Winntec Model #6020 LP Regulator removed and replaced with either a Fairview Model #GR994 or a YSN Imports Model #ACR2. Once the LP Regulator is replaced, Dealers will be required to perform industry standard LP System validation. Requirements include leak detection, timed pressure drop test and a regulator lock out test. This replacement will be done at no cost to the owner.

How Remedy Component Differs from Recalled Component : Remedy component is a different brand.

Identify How/When Recall Condition was Corrected in Production : Production changing to a different brand LP regulator.

Recall Schedule :

Description of Recall Schedule : Jayco will notify the dealers and owners of these recreational vehicles by letter. A final copy of the owner letter and dealer repair instructions will be provided to NHTSA.

Planned Dealer Notification Date : AUG 03, 2021 - AUG 03, 2021

Planned Owner Notification Date : AUG 03, 2021 - AUG 03, 2021

* NR - Not Reported